

HOBBY FARMING

GROWING FARMS
livestock supplies

Who are we?

One of the strongest companies in the poultry products sector in Spain and Italy, with the aim of providing the best service and offering the widest product portfolio in the Hobby Farming market.

We are the leading manufacturer of Hobby Farming accessories in the sector, with three factories in Spain and Italy.

Among our range of in-house manufactured products, we highlight:

- Incubators
- Feed mills
- Plastic accessories
- Metal accessories
- Poultry houses
- And a new line of chicken coops made with 100% recycled materials.

Our Vision?

To create a more sustainable world with our products and services. We want to contribute to the connection between people, nature, and farm animals, so that, together, they can develop more beneficial values for future generations.

Our Mission?

To be the leading European manufacturer of products focused on Hobby Farming, a benchmark in the sector, contributing to sustainability and the environment.

Our Values?

Our core value is the manufacture of sustainable, environmentally friendly products.
Our hallmark is 100% European manufacturing of top-quality products, with a priority on optimizing the quality of life for animals. We are continuously researching and investing in the latest technology to optimize our products.

Francisco Galián Nicolás
Chief Executive Officer

ICON LEGEND



Number of pieces included in the package



Package dimensions (length x depth x height)



Number of pieces contained in pallets 80x120 cm



Double packaging for maximum transport safety



Single piece weight



Barcode



Bio: products recommended for free-range production farms, complying with animal welfare regulations



Top sellers: best-selling products in our main categories



New products launched in the market

INDEX

GROWING FARMS
livestock supplies

Page 6 INCUBATORS

Page 22 DRINKERS

Page 38 FEEDERS

Page 54 CHICKEN COOPS AND LAYING BOXES

Page 65 MILLS

Page 70 DRINKING TROLLEYS AND WATER CONDUCTION SYSTEMS


GROWING FARMS
livestock supplies

Page 83 TRAPS AND EXTERMINATORS

Page 88 ORGANIC POULTRY FARMYARD

Page 100 SPARE PARTS

INCUBATORS




covatutto
NOVITAL
CE
covatutto
108
Digitale
25°C-77°F
17°C-62°F



ATTESTATION OF CONFORMITY

TO THE ELECTROMAGNETIC COMPATIBILITY DIRECTIVE 2014/30/EU

DEKRA

Attestation number	: 3504706.04_EMC
Issued to	: Novital S.r.l. Via Europa, 7 21015, Lonate Pozzolo (VA) - Italy
Manufacturer	: Novital S.r.l. Via Europa, 7 21015, Lonate Pozzolo (VA) - Italy
Product Type	: Electric mill
Model reference	: GOLIA - 4 V
Serial number	: ---
Testing laboratory	: ELETECH s.r.l. - 23871 Via Garcia Lorca 29, Lomagna (LC) - Italy
Test Report ref. No.	: 000523EMC00_00
Requirements	: EN 55014-1:2006 +A1:2009 +A2:2011; EN 55014-2: 2015; EN 61000-3-3:2014; EN 61000-3-3:2013

I, the undersigned, declare that the product described above is in conformity with the above technical specification.
This certificate of conformity is issued on the basis of the test results indicated in the test report mentioned by ELETECH S.r.l. The investigation does not include an assessment of the manufacturer's production.

Franco Vasta
Executive

Date of issue : 2016-06-01


DEKRA Certification B.V. Meander 1051, 6825 MJ Arnhem P.O. Box 5185, 6802 ED Arnhem The Netherlands
Tel +31 88 96 83000 ; www.dekra-certification.com ; registered Arnhem 09085396

The products Covatutto incubators 7, 16, 16L, 24, 24eco, 54, 108, and 162; 4V Golia, Bravo, Magnum, Davide Mills and Aladino heaters, have been tested by Dekra according to the EN standards related to electrical safety and electromagnetic compatibility.

Test reports are available upon request.

All products in this catalog are entirely designed and manufactured in Spain and Italy.

Egg types



Approximate capacity based on the weight, size and shape of the egg.

covatutto	Quail	Partridge	Chicken	Guinea fowl	Pheasant	Turkey	Duck	Goose
7	22	15	7	8	8	5	5	2
16	42	26	14 -16	18	19	10	11	4
24	70	42	24	30	30	16	20	6
54	140	80	48	60	60	32	40	15
108	280	168	96	120	120	64	80	30
162	420	252	144	180	180	96	120	45

covatutto 16L FAN

Digital Ventilator

Compact and reliable, perfect for hatching eggs from different species. It features a high-precision digital thermostat, a backlit LCD display, and an automatic electronic egg turner.

Temperature and incubation days can be adjusted based on the type of egg.

Features:

- It includes a quiet ventilation system
- A 40 W resistance heater
- A container with dividers
- External refill trays for humidity

Materials: Made with food-safe materials and sandwich-style thermal insulation.

IPX4 protection rating, ready for a thermo-hygrometer, and double protective packaging.

Item	Power				Code
2239A0000	**230V**	1	37 x 37 x 28,5	2,80	8010213000669
2248A0000	**120V**	1	37 x 37 x 28,5	2,80	8010213002403





covatutto 16L PRO

Heating: 3 X 25-watt E14 bulbs (incandescent)
Thermometer: Digital with temperature control by species.
Materials: Non-toxic plastic.
Features: Sandwich-type insulation, backlit display with 3 functions: Incubation days indicator, water refill reminder, egg turning setting.
Egg turner: One automatic system equipped with separators.
Humidity: Two internal tanks at the bottom with external refill.
Approximate capacity: See table on page 9.

POSSIBILITY OF INSERTING A DIGITAL THERMOHYGROMETER



EGG TURNING KIT

Item				
2229A0000	1	37 x 37 x 28,5	2,6	8010213000560
337G	1	22 x 4,2 x 22	0,265	8010213000577

covatutto 7

Heating: 3 x 15W E14 incandescent bulbs.
Thermometer: Liquid.
Materials: Non-toxic plastic.
Features: Sandwich insulation.
Egg turning: Not available.
Humidity: Fixed water reservoir.
Approximate capacity: See table on page 9.



Item				
1962A4000	1	26,5 x 26,5 x 25	1,50	8010213970313

covatutto 16L Analog Manual

Heating: 3 x 25W E14 incandescent bulbs.
Thermometer: Liquid.
Materials: Non-toxic plastic.
Features: Sandwich-type insulation.
Egg turning: Manual, supplied.
Humidity: Fixed water tank with external refill.
Approximate capacity: See table on page 9.



Item				
2118A0000	1	22,7 x 31,5 x 31,6	1,70	8010214001405
2118AS000	1 ●	37 x 37 x 28,5	2,70	8010214001443

covatutto 24 Digital

Heating: 60W heating element + fan.
Thermometer: Digital with species-specific temperature control.
Materials: Non-toxic plastic.
Features: Sandwich insulation, backlit display with 3 functions: incubation days indicator, water refill reminder, egg turning setting.
Humidity: Fixed water reservoir with external refill.
Approximate capacity: See table on page 9.
Egg turning: Manual system supplied in Digital Manual.
Automatic system supplied by Digital Automatic

Sandwich-type temperature insulation



Digital Manual



Automatic Digital



Item	Power				Code
1958A5000	**230V**	1 ●	47,5 x 44 x 30,5	5,70	8010213977718
2241A0000	**120V**	1 ●	47,5 x 44 x 30,5	5,70	8010213000867

Item	Power				Code
1959A5S00	**230V**	1	43,5 x 27 x 51	6,40	8010213977732
2242A0000	**120V**	1 ●	43,5 x 27 x 51	6,40	8010213000874

covatutto 54 Digital

Heating: 90W heating element + fan.
Thermometer: Digital with species-specific temperature control.
Materials: Non-toxic plastic.
Features: Sandwich insulation, backlit display with 3 functions: incubation days indicator, water refill reminder, egg turning setting.
Humidity: Fixed water reservoir with external refill.
Approximate capacity: See table on page 9.
Egg turning: Manual system supplied in Digital Manual.
Automatic system supplied by Digital Automatic

Digital Manual



Item				Code
1960A5S00	1 ●	65 x 47,5 x 31,5	7,50	8010213977695

Automatic Digital



Item	Power				Code
1961A5S00	**230V**	1 ●	65 x 47,5 x 31,5	7,50	8010213977756
2243A0000	**120V**	1	60 x 26 x 42	6,40	8010213000898

covatutto 108 Digital

Heating: 60W + 90W heating element + fan.
Thermometer: Digital with species-specific temperature control.
Materials: Non-toxic plastic.
Features: 2 incubation and hatching trays, backlit display with 3 functions: incubation days indicator, water refill reminder, and egg turning setting.
Humidity: 2 water containers included.
Approximate capacity: See table on page 9.
Egg turning: 2 Manual systems supplied in Digital Manual.
2 Automatic systems supplied by Digital Automática.



Digital Manual



Automatic Digital

Item				Code
2068AD000	1 ●	60 x 50 x 67	16,80	8010213978142

Item				Code
2069AD000	1 ●	60 x 50 x 67	19,086	8010213978159

covatutto 162 Digital

Heating: 60W + 140W heating element + 2 fans.
Thermometer: Digital with species-specific temperature control.
Materials: Non-toxic plastic.
Features: 3 incubation and hatching trays, backlit display with 3 functions: Hatching indicator, water refill indicator, and egg rotation indicator.
Humidity: 2 water containers included.
Approximate capacity: See table on page 9.
Egg turning: 3 Manual systems supplied in Digital Manual.
3 Automatic systems supplied by Digital Automatic



Digital Manual



Automatic Digital

Item				Code
2066ADT00	1 ●	60 x 50 x 67	17,338	8010213977640

Item				Code
2067ADT00	1 ●	60 x 50 x 67	19,624	8010213977664


Automatic egg turning device

Drive: 3W 230V geared motor.

Materials: Non-toxic plastic.


Features: Slow and continuous movement (one complete rotation every two hours).
Suitable for incubators equipped with a manual egg-turning system.

Valid for: Covatutto 24Eco-24-54



Item	Power				Code
1794A4000	**230V**	1	14 x 10,5 x 24,5	0,753	8010213969812
2240A0000	**120V**	1	14 x 10,5 x 24,5	0,753	8010213000843

Valid for: Covatutto 108-162



Item				Code
1796A4000	1	14 x 10,5 x 24,5	0,762	8010213969829

Digital Thermometer with Hygrometer

Material: Plastic

Features: 27x16h mm display, 0.1 °C resolution, +/- 0.2 °C tolerance in the range between 35 °C and 40 °C, +/- 2% relative humidity, F/°C selection, power supply with AAA LR03 1.5 volt alkaline batteries (not included).

2 configurations:

- Covatutto mode (quick selection of the specific incubator model, automatic adjustment of reference points)

- Ambient mode (ideal for measuring ambient temperature and humidity with any other type of incubator), automatic shut-off after 5 minutes from activation.

Dimensions: 70 x 27 x 160 mm

Valid for: Covatutto Digital and Analog 24Eco-24-54-180-162, Covatutto 7 with three bulbs (latest version), Covatutto 16L Analog and Covatutto 16L Digital PRO.



Item				Code
2207A0000	1	3 x 10 x 20	0,08	8010213000126

CALDO CIP Brooder

Heating: 75W E27 bulb (included).

Temperature: Manually adjustable.

Materials: Non-toxic plastic.

Features: Access door, rotating basket, transparent dome, removable bottom tray for easy cleaning. Ideal for the first days of life for chicks, birds, kittens, and dogs.





Item				
1980A0000	1	48,5 x 34,5 x 48,5	4,70	8010213970627

Infrared lamp

Type: E27 240V
Power: 150W (0273A0000)
250W (0271A0000)



Item				
0273A0000	10	60 x 24,5 x 18	0,2155	8010213971044
0271A0000	10	60 x 24,5 x 18	0,21	8010213976919

Infrared lamp PAR 38

Type: E27 240V
Power: 175W Philips (2056A0000)
100W Eco (2195A0000)



Item				
2056A0000	12	67 x 34,5 x 15	0,3961	8010213976995
2195A0000	12	37 x 47 x 17	0,4	4018653222461

Eco Infrared Lamp

Type: E27 240
Power: 150 W



Item				
0272A0000	10	63 x 27 x 21	0,233	

Aladdin 250 Reflector

Heating: E27 infrared lamp 150-250W max. (not included).
Materials: Non-toxic plastic.
Features: Ideal for the first days of life of chicks, puppies, kittens, pigs, and sheep.
Cable lenght:-2,5 m (1982A0000)
-5 m (1989A0000)



Item				Code
1982A0000	2	40 x 27 x 26	1,71	8010213970641
1989A0000	2	40 x 27 x 26	1,84	8010213972010

Aladdin reflector with regulator

Heating: 175W max. E27 infrared lamp (not included).
Materials: Non-toxic plastic.
Features: Equipped with a power regulator.
Ideal solution for the first days of life of chicks, dogs, cats, pigs and sheep.
Cable lenght: -2,5 m (1990A0000)
-5 m (1999A0000)




Item				Code
1990A0000	2	40 x 27 x 26	1,71	8010213972027
1999A0000	2	40 x 27 x 26	1,84	8010213972041

CHICKS BROODING PEN

Material: Plastic.

Features: Durable enclosure made of six panels with integrated hinges. Very easy to install. Quick and secure attachment. Ideal for small newborn animals and for weaning. Individual panels available as replacements. Height can be doubled.

Dimensions: each panel 60x1x39 cm






Item				
2197A0000	1	8,5 x 40 x 61,5	2,9	8010213000133
4767P				

PEN PANEL

Material: Plastic.
Dimensions: 60x1x39 cm



KIT FOR CHICKS

includes everything necessary to make chicks grow lealthy and strong.

Includes:

- 1 Aladdin Reflector (1982A0000)
- 1 E27 PAR 100W infrared bulb (2195A0000)
- 1 Universal hanging stand (2223A0000)
- 1 Chicken pen including 6 panels (2197A0000)
- 1 1.5L anti-drowning drinker (0161AF000)
- 1 30cm bar feeder (0442AF000)
- 24 Hooks for pen's expansion (329G)



Item				
2226A0000	1	61,5 x 26 x 39,5		



2223A0000




2197A0000



1982A0000



0161AF000



0442AF000



329G
(x24 units)



2195A0000

Universal hanging stand


Material: Galvanized steel legs, polypropylene components.

Features: Ideal for hanging all types of feeders and waterers up to a maximum of 20 kg.
Adjustable legs to adapt to any type of flooring.

The perfect solution for preventing contamination on outdoor farms.

Very sturdy support, easy to assemble.





Item				
2223A0000	1	17 x 7 x 68	3,120	8012013000386

BIOCCOLO Push-Fit Shovel Head

Material: Shockproof plastic.

Features:
- Resistant to low temperatures.
- Compatible with any handle.
- Handle not included.
- Ideal solution for snow, manure removal, liquids, and any other items that may be found in stables/barns.

Measurements: 43x40 cm



Item				
1697A0000	12	45 x 42 x 48	0,8458	8010213016974

BIOCCOLO Shovel with Handle

Material: Shockproof plastic.

Features:
- Supplied disassembled in a practical, space-saving package
- Equipped with a plastic handle with a grip
- Ideal for snow, removing manure, liquids, and any other items that may be found in stables/barns.

Measurements: 43x149 cm





Item				
2039F0000	1	31,5 x 10,2 x 41,9	2,0086	8010213976681

JOY Push-Fit Shovel Head

Material: Shockproof plastic.

Features:
- Resistant to low temperatures.
- Compatible with any handle.
- Handle not included.
- Ideal solution for snow, manure removal, liquids, and any other items that may be found in stables/barns.

Measurements: 29x35 cm



Item				
2006A0000	12	40 x 30 x 51	0,5083	8010213972201


JOY Shovel with Handle

Material: Shockproof plastic.

Features:
- Supplied disassembled in a practical, space-saving package
- Equipped with a plastic handle with a grip
- Ideal for snow, removing manure, liquids, and any other items that may be found in stables/barns.

Measurements: 29x142 cm





Item				
2040F0000	1	41,7 x 8,7 x 43,4	1,73	8010213976704

MAGIC Push-Fit Shovel Head with Metal Edge

Material: Waterproof plastic blows + integrated metal blade.

Features:
- Resistant to low temperatures.
- Compatible with any handle.
- The handle is not supplied.
- Perfect for breaking ice, removing
- snow or any hard material and dirt in stables/barns.

Measurements: 29x38 cm



Item				
2008A0000	12	40 x 30 x 51	0,6199	8010213972225

MAGIC Shovel with Handle

Material: Shockproof plastic + integrated metal sheet.

Features:
- Supplied disassembled and packaged in a practical, space-saving box.
- Equipped with a practical plastic handle with a grip.
- Perfect for breaking ice, removing snow or any hard material and dirt in stables/barns.

Measurements: 29x144 cm




Item				
2042F0000	1	41,7 x 8,7 x 43,4	1,37	8010213976759

GARDEN Push-Fit Shovel Head with Serrated Edge

Material: Shockproof plastic + integrated serrated metal blade.

Features:
- Resistant to low temperatures.
- Compatible with any handle.
- The handle is not supplied.
- Ideal solution for gardens, for removing weeds.

Measurements: 29x38 cm



Item				
2025A0000	12	40 x 30 x 51	0,6199	8010213972485

GARDEN Shovel with Serrated Edge and Handle

Material: Shockproof plastic + integrated serrated metal blade.

Features:
- It is supplied disassembled and packaged in a practical "space-saving" box.
- Resistant to low temperatures
- Compatible with any handle
- Plastic handle with grip.
- Ideal solution for gardens, for eliminating weeds.

Measurements: 29x144 cm



Item				
2044F0000	1	41,7 x 8,7 x 43,4	1,37	8010213976780

3-Piece Plastic Handle Set with Grip

Easy to assemble, sturdy and durable. Suitable for all blades.

Dimensions: Length 123 cm
Diameter 4 cm





Item				
2193A0000	10	32 x 49 x 24	1,44	8010213979538

DRINKERS







BEVERCIP 14 cm Drinker

Material: Food-grade plastic.

Features: Can be used with 0.5 / 0.75 / 1 liter plastic bottles.





Item				Code
1938F0000	48	15 x 29,5 x 59	0,053	8010213969614

BEVERCIP 23 cm Drinker

Material: Food-grade plastic.
Features: Can be used with 1.5/2 liter plastic bottles.





Item				Code
1939F0000	48	70 x 24 x 55	0,161	8010213969621

Max PL Nipple Drinker

Material: Food-grade plastic.
Features: Ideal for birds and fowl.





Art. 2001F0000

Item				Code
2001A0000	120	25,5 x 16,5 x 4,5	0,0058	8010213972119
2001F0000	16	13,5 x 22 x 14,5	0,0138	8010213972126

DERBY 50 cl Tank Drinker (90°)

Material: Food-grade plastic.

Features: Ideal for birds and fowls; suitable for all types of cages.

Capacity: 50 cl

Water outlet angle: 90°



Item				
2017AF000	24	36 x 13 x 42	0,1079	8010213972362

DERBY 100 cl Tank Drinker (90°)

Material: Food-grade plastic.

Features: Ideal for birds and fowls; suitable for all types of cages.

Capacity: 100 cl

Water outlet angle: 90°



Item				
2021AF000	24	45 x 35,5 x 41	0 ,1843	8010213972447

DERBY 50 cl Tank Drinker (45°)

Material: Food-grade plastic.

Features: Ideal for birds and fowls; suitable for all types of cages.

Capacity: 50 cl

Water outlet angle: 45°



Item				
2018AF000	24	36 x 13 x 42	0,1081	8010213972386

DERBY 100 cl Tank Drinker (45°)

Material: Food-grade plastic.

Features: Ideal for birds and fowls; suitable for all types of cages.

Capacity: 100 cl

Water outlet angle: 45°



Item				
2022AF000	24	45 x 35,5 x 41	0,1843	8010213972461

3L Drinker - PIGEONS

Material: Food-grade plastic.

Capacity: 3 L

Features: Equipped with a hanging hook. Specifically designed to prevent animals from perching on the waterer. Ideal for pigeons and other birds.



Item				
1984AF000	6	46,5 x 23,5 x 78	0,56	8010213971358

5L Drinker - PIGEONS

Material: Food-grade plastic.

Capacity: 5 L

Features: Equipped with a hanging hook. Specifically designed to prevent animals from perching on the waterer. Ideal for pigeons and other birds.



Item				
0790AF000	6	46,5 x 23,5 x 90	0,628	8010213971440

8L Drinker - PIGEONS

Material: Food-grade plastic.

Capacity: 8 L

Features: Equipped with a hanging hook. Specifically designed to prevent animals from perching on the waterer. Ideal for pigeons and other birds.



Item				
1985AF000	6	46,5 x 23,5 x 115	0,741	8010213971372

Pigeon Drinkers

Material: Food-grade plastic.

Capacity: 3, 5, and 8 Liters

Features: Equipped with a hanging hook. Specifically designed to prevent animals from perching on the waterer. Ideal for pigeons and other birds.







Capacity	Item		lxfxa	Kg	Code
3 lt	**1984AF000**	6	46,5 x 23,5 x 78	0,560	8010213971358
5 lt	**0790AF000**	6	46,5 x 23,5 x 90	0,628	8010213971440
8 lt	**1985AF000**	6	46,5 x 23,5 x 115	0,741	8010213971372

SIPHON DRINKER

Material: Food-grade plastic.

Features: Ideal for poultry and small birds.
For use on the ground.



0,75 L **1,5 L** **3,5 L** **5 L**

Capacity	Item					
0,75 L	1983AF000		24	29,5 x 15,5 x 41,5	0,1125	8010213971662
1.5L	0161AF000		24	35 x 22 x 53	0,175	8010213971778
1.5L	* 0161A-W00		24	35 x 22 x 53	0,175	8010213978289
1.5L	* 0161A-X00		24	35 x 22 x 53	0,175	8010213978296
3.5L	0162AF000		24	48,5 x 27,5 x 52	0,321	8010213971679
3.5L	* 0162A-W00		24	48,5 x 27,5 x 52	0,321	8010213978326
3.5L	* 0162A-X00		24	48,5 x 27,5 x 52	0,321	8010213978333
5L	0163AF000		24	48,5 x 27,5 x 69	0,3868	8010213971693
5L	* 0163A-W00		24	48,5 x 27,5 x 69	0,3868	8010213978531
5L	* 0163A-X00		24	48,5 x 27,5 x 69	0,3868	8010213978340

** Colors available upon request for specific quantities*



SIPHON DRINKER 10 L

Material: Food-grade plastic.

Capacity: 10 L

Features: Ideal for chicks and poultry in general.
For use on the ground.

Item				
0789AF000	12	35 x 35 x 80	0,6966	8010213971396



Rapid Clean Chick Drinker

6-9 L models equipped with a six-point locking lid to prevent accidental opening. Includes a top hook for hanging. The container can be filled directly by opening the half-moon opening on the lid. The white reservoir inhibits algae growth. Easy to clean. Features an anti-drowning tray, specially designed for chicks and/or dwarf breeds.

12-18-24 L models with dirt-repellent lid, handle, and white algae-reducing reservoir. Easy to clean. Anti-suffocation tray, specially designed for chicks and/or dwarf breeds.
Usage: on the floor or suspended.



Capacity	Item				
6 L	2075AF000	12	64 x 37 x 46	0,983	8010213977916
9 L	2076AF000	9	64 x 37 x 46	1,044	8010213977930
12 L	2077AF000	6	35,5 x 35,5 x 56	1,267	8010213977954



Rapid Clean Chicken Drinker

6-9 L Models are quipped with a six-point locking lid to prevent accidental opening. Includes a top hook for hanging. The container can be filled directly by opening the half-moon shaped opening on the lid. White tank to inhibit algae growth. Easy to clean.

12-18-24 L Models are equipped with a dirt-repellent lid, a handle and an easy-to-clean white reservoir to inhibit algae growth.
Usage: hanging or on the floor.



Capacity	Item				
6 L	2073F0000	1	35,5 x 35,5 x 18	1,55	8010214001030
6 L	2073AF000	12	64 x 37 x 46	1,55	8010213977879
9 L	2074AF000	9	64 x 37 x 46	1,25	8010213977893
12 L	2011AF000	6	35,5 x 35,5 x 32	1,4833	8010213972256
12 L	2011F0000	1	35,5 x 35,5 x 32	1,80	8010213972263
18 L	1979AF000	6	35,5 x 35,5 x 78	1,8166	8010213971501
18 L	1979F0000	1	35,5 x 35,5 x 41	2,000	8010213971495
18 L	1979AF300	3	35,5 x 35,5 x 56	1,866	8010213976902
24 L	2107AF000	4	35,5 x 35,5 x 78	1,8145	8010214001191



Rapid Clean 6L Drinker with Legs

Material: Food-grade plastic.

Capacity: 6 L

Features:
- Equipped with a hook.
- Top-fill system.
- Dirt-proof lid with six attachment points and two snap closures; easy to clean.
- White tank to slow algae growth.



Item				Code
2079AF000	12	42 x 42 x 80	1,4	8010213977992

Rapid Clean 9 L Drinker with Legs

Material: Food-grade plastic.

Capacity: 9 L

Features:
- Equipped with a hook.
- Top-fill system.
- Dirt-proof lid with six attachment points and two snap closures; easy to clean.
- White tank to slow algae growth.



Item				Code
2080AF000	9	42 x 42 x 80	1,444	8010213978012

Rapid Clean 12L Drinker with Legs

Material: Food-grade plastic.

Capacity: 12 L

Features:
- Top-fill system.
- Dirt-proof lid.
- Easy to clean.
- White tank to slow algae growth.



Item				Code
2081AF000	6	42 x 42 x 80	2,20	8010213978036
2081F0000	1	42 x 42 x 30	2,20	8010213978104

Rapid Clean 18L Drinker with Legs

Material: Food-grade plastic.

Capacity: 18 L

Features:
- Top-fill system.
- Dirt-proof lid.
- Easy to clean.
- White tank to slow algae growth.



Item				Code
2082AF000	6	42 x 42 x 80	1,933	8010213978050

Rapid Clean 24L Drinker with Legs

Material: Food-grade plastic.

Capacity: 24L

Features:
- Top-fill system.
- Dirt-proof lid.
- Easy to clean.
- White tank to slow algae growth.



Item				Code
2108F0000	1	42 x 38 x 46	2,56	8010214001641
2108AF000	6	42 x 42 x 80	2,2	8010214001207

20L Tank Drinker

Material: Food-grade plastic.

Capacity: 20 L

Features:
- Top-fill with cap.
- White reservoir to slow algae growth.
- Removable plate.
- For use on the floor.

Item				
1793A0000	1	35 x 35 x 54	1,90	8010213017933



Drinking fountain with 20L reservoir + legs

Material: Food-grade plastic.

Capacity: 20 L

Features:
- Top-fill with cap.
- White tank to inhibit algae growth.
- Removable plate.
- Elevated with legs to avoid contact with the ground.
- Ideal for medium and large-sized birds.

Item				
2083A0000	1	42 x 32 x 50	2,16	8010213978067



30L GOLD Tank Drinker

Material: Food-grade plastic.

Capacity: 30 L

Features:
- Top-fill with a cap.
- White reservoir to inhibit algae growth.
- Removable tray.
- Elevated on legs to prevent contact with the ground.
- Ideal for medium and large birds.

OPTIONAL:
- Top Clean Cover
- Elevators

Item				
2062A0000	1	36 x 36 x 66,5	3,40	8010213977176





KUBIC GOLDPREMIUM 30L Drinker

Material: Food-grade plastic.

Capacity: 30 L

Features:
- Stackable, top-fill
- The lid prevents dirt from entering
- White reservoir to slow algae growth
- Easy to clean
- Ideal for medium and large-sized birds

OPTIONAL:
- Top Clean Cover
- Elevators



Item				Code
2177A0000	1	41 x 42 x 45,5	3,5	8010213979118
2177A3000	3	41 x 42 x 82	3,06	8010213979125

KUBIC GOLDPREMIUM 40L Drinker

Material: Food-grade plastic.

Capacity: 40 L

Features:
- Stackable, top-fill
- The lid prevents dirt from entering
- White reservoir to slow algae growth
- Easy to clean
- Ideal for medium and large-sized birds

OPTIONAL:
- Top Clean Cover
- Elevators



Item				Code
2178A0000	1	41 x 42 x 53	3,8	8010213979132
2178A3000	3	41 x 42 x 82	3,23	8010213979149

KUBIC GOLDPREMIUM 50L Drinker

Material: Food-grade plastic.

Capacity: 50 L

Features:
- Stackable, top-fill
- The lid prevents dirt from entering
- White reservoir to slow algae growth
- Easy to clean
- Ideal for medium and large-sized birds

OPTIONAL:
- Top Clean Cover
- Elevators



Item				Code
2179A0000	1	41 x 42 x 61	4	8010213979156
2179A3000	3	41 x 42 x 82	3,43	8010213979163

Top Clean Cover

Material: Non-toxic, food-grade plastic.

Dimensions: Diameter 572 mm and height 82 mm.

Features:
- Ideal for Kubic 30-40-50L feeders and waterers, and the 30L waterer.
- It protects against any type of impurity caused by rain or by the animals themselves.



Item				
2228A0000	6	58 x 11,5 x 58,5	0,6	8010213000485



Feeder/Drinker 30/40/50 L
KUBIC

EXAMPLES OF TOP CLEAN APPLICATIONS





Drinker 30L
GOLD

Elevators

Material: Non-toxic plastic.

Features: Ideal support for raising drinkers and feeders to one or two heights according to needs.

Available colors: Red - Green (Pack of 3 units)




Item				
2232A0000	1	25 x 20 x 19	0.086	8010213000591
2233A0000	1	25 x 20 x 19	0.086	8010213000607

Float Valve

Material: Non-toxic plastic.

Features: Accessory for wall-mounted drinking fountains. Direct connection to the water source. Included with all SYSTEM PLUS drinking fountains.





Item				Code
1868A0000	1			8010213979378

SYSTEM PLUS Automatic Drinker

Material: Food-grade plastic.

Features:
- To function, it must be connected to the water supply.
- Valve + plastic float to regulate water flow.
- Equipped with a dedicated tank and drain valve to ensure clean water.
- It can be attached to walls, corrals, and similar structures.
- Equipped with specific brackets for attaching to posts.
- Ideal solution for sheep, cows, horses and farm animals in general.
- Resistant to collisions, high and low temperatures.
- Ideal for chickens, dogs, goats.

Capacity: 2, 4 and 6 L.

2L



4 L



6 L





Capacity	Item				Code
2 L	**2145A0000**	4	28,5 x 27 x 49	0,086	8010213978609
4 L	**2146A0000**	4	31,5 x 27 x 57,5	1,168	8010213978616
6 L	**2147A0000**	4	34,5 x 27 x 72,5	1,47	8010213978173

SYSTEM PLUS Automatic Drinker - Premium

Material: Food-grade plastic.

Capacity: 2, 4, 6 L

Features:
- To function, it must be connected to the water supply.
- Valve + plastic float to regulate water flow.
- Equipped with a dedicated tank and drain valve to ensure clean water.
- It can be attached to walls, corrals, and similar structures.
- Equipped with specific brackets for attaching to posts.
- Ideal solution for sheep, cows, horses and farm animals in general.
- Made with high-strength plastic material, it absorbs violent blows from animals.
- Resistant to high and low temperatures.


2 L



4 L



6 L



Capacity	Item			Kg	Code
2 L	**2157A0000**	4	28,5 x 27 x 49	1,168	8010213254680
4 L	**2158A0000**	4	31,5 x 27 x 57,5	1,356	8010213478543
6 L	**2159A0000**	4	34,5 x 27 x 72,5	1,681	8010213754852


Rigid Mounting Kit for Drinking Trough


Material: Stainless steel.

Features: Accessory for attaching the drinking trough to the poles (30 mm to 75 mm in diameter) of corrals and stables/barns.


Ideal solution for sheep, cows, horses, and farm animals in general.







Item				
2155A0000	4		0,952	8010213458743




The innovative drainage system was designed to prevent stagnation and speed up cleaning operations of the drinker without using any tools to remove the water-sealing components, which can fall off, get dirty, or even get lost.

With two simple operations: lift the pin (see the image) and turn to directly adjust the opening of the drain valve, allowing for rapid drainage of dirty water.

FEEDERS







KUBIC PREMIUM Feeder 30 L/20 Kg

Material: Food-grade plastic.

Capacity: 30 L = 20 kg

Features: Equipped with an anti-waste grid and a lid to prevent contamination. Stackable. Easy to clean.

OPTIONAL:

- Top Clean Cover
- Elevators

Item				Code
2180A0000	1	41 x 42 x 45,5	3,45	8010213979170
2180A3000	3	41 x 42 x 82	3,04	8010213979187



KUBIC PREMIUM Feeder 40 L/27 Kg

Material: Food-grade plastic.

Capacity: 40 L = 27 kg

Features: Equipped with an anti-waste grid and a lid that prevents dirt from entering. Stackable. Easy to clean.

OPTIONAL:

- Top Clean Cover
- Elevators

Item				Code
2181A0000	1	41 x 42 x 53	3,75	8010213979194
2181A3000	3	41 x 42 x 82	3,2	8010213979200



KUBIC PREMIUM feeder 50 L/34 Kg

Material: Food-grade plastic.

Features: Equipped with an anti-waste grid and a lid that prevents dirt from entering. Stackable. Easy to clean.

Capacity: 50 L = 34 kg

OPTIONAL:

- Top Clean Cover
- Elevators

Item				Code
2182A0000	1	41 x 42 x 61	3,98	8010213979217
2182A3000	3	41 x 42 x 82	3,4	8010213979224




Bar Feeder/Drinker for Chicks 30-40-50 cm



Material: Food-grade plastic.

Features:
- Equipped with an anti-waste grid.
- Easy to clean.
- Ideal for chicks and birds.



Length	Item				
30 cm	0442AF000	24	33,5 x 30 x 34	0,1406	8010213971723
30 cm	0442AX000	24	33,5 x 30 x 34	0,1406	8010213978357
30 cm	0442AW000	24	33,5 x 30 x 34	0,1406	8010213978388
40 cm	0443AF000	24	43,5 x 30 x 34	0,1698	8010213971730
40 cm	0443AX000	24	43,5 x 30 x 34	0,1698	8010213978371
40 cm	0443AW000	24	43,5 x 30 x 34	0,1698	8010213978364
50 cm	0444AF000	24	53,5 x 30 x 34	0,2169	8010213971747
50 cm	0444AX000	24	53,5 x 30 x 34	0,2169	8010213978401
50 cm	0444AW000	24	53,5 x 30 x 34	0,2169	8010213978395

***Minimum order quantity applies**




Bar feeder/waterer - CHICKENS 50 - 75 cm




Material: Food-grade plastic.

Features:
- Equipped with an anti-waste grid.
- Easy to clean.
- Ideal for poultry.



Length	Item				
50 cm	0446AF000	12	54 x 42,5 x 37,5	0,3609	8010213971754
50 cm	*0446A-W00	12	54 x 42,5 x 37,5	0,3609	8010213978418
50 cm	*0446A-X00	12	54 x 42,5 x 37,5	0,3609	8010213978425
75 cm	0447AF000	12	77,5 x 42,5 x 39	0,5509	8010213971761
75 cm	*0447A-W00	12	77,5 x 42,5 x 39	0,5509	8010213978432
75 cm	*0447A-X00	12	77,5 x 42,5 x 39	0,5509	8010213978449




*** Minimum order quantity applies**


Hopper Feeder with Lid for Chicks 1.5 kg / 3.5 kg

Material: Food-grade plastic.

Features:
- Equipped with an anti-waste grid.
- The lid prevents dirt from entering.
- Easy to clean.
- Ideal for chicks and birds.

Capacity: 2.5 L = 1.5 kg
5.25 L = 3.5 kg





Capacity	Item			Kg	Code
2,5 L - 1.5 kg	**2070AF000**	20	42 x 21,5 x 65	0,2169	8010213977817
2,5 L - 1.5 kg	***2070A-X00**	20	42 x 21,5 x 65	0,2169	8010213978463
5,25 L - 3.5 kg	**2071AF000**	24	61 x 31 x 76	0,4916	8010213977831
5,25 L - 3.5 kg	***2071A-X00**	24	61 x 31 x 76	0,4916	8010213978487




*** Colors available upon request for specific quantities**


Hopper Feeder with Lid for Chickens 7 kg / 15 kg

Material: Food-grade plastic.

Features:
- Hanging hook
- Anti-waste grid
- Adjustable food level
- Lid that prevents dirt from entering
- Easy to clean

Capacity: 10.5 L = 7 kg
20 L = 15 kg





Capacity	Item			Kg	Code
10,5 L - 7 kg	**2005AF000**	10	41 x 41 x 119	1,147	8010213972089
10,5 L - 7 kg	***2005A-X00**	10	41 x 41 x 119	1,147	8010213978500
20 L - 15 kg	**1940AF000**	10	48,5 x 48,5 x 129	1,4762	8010213971334
20 L - 15 kg	***1940A-X00**	10	48,5 x 48,5 x 129	1,4762	8010213978524



*** Colors available upon request for specific quantities**

Transparent Hopper Feeder for Poultry

Material: Food-grade plastic.



Features:
- Equipped with an adjustable
- Conical
- Anti-waste base
- Can be used hanging or on the floor
- Equipped with legs
- Adjustable food outlet
- Easy to clean and practical to use

Capacity: 1.5 Kg = 2.5 L
3.5 Kg = 5.25 L
7 Kg = 10.5 L
15 Kg = 20 L



1.5 Kg - 2.5 L | **3.5 Kg - 5.25 L** | **7 Kg - 10.5 L** | **15 Kg - 20 L**

Capacity	Item				
1,5 kg - 2,5L	**2202OF000**	20	42 x 21,5 x 65	0,2169	8010213979552
3,5 kg - 5,25L	**2203OF000**	24	61 x 31 x 76	0,4916	8010213979569
7 kg - 10,5L	**2198OF000**	10	41 x 41 x 119	1,147	8010213979514
15 kg - 20 L	**2199OF000**	10	48,5 x 48,5 x 129	1,4762	8010213979507

3L Feeder for PIGEONS

Material: Food-grade plastic.

Capacity: 3 L

Features:
- Equipped with a hanging hook
- Specifically designed to prevent animals from perching on the feeder
- Ideal for pigeons and other birds

Item				
1986AF000	6	46,5 x 23,5 x 78	0,5208	8010213971365



5L Feeder for PIGEONS

Material: Food-grade plastic.

Capacity: 5 L

Features:
- Equipped with a hanging hook
- Specifically designed to prevent animals from perching on the feeder.
- Ideal for pigeons and other birds

Item				
0791AF000	6	46,5 x 23,5 x 90	0,633	8010213971457



8L Feeder - PIGEONS

Material: Food-grade plastic.

Capacity: 8 L

Features:
- Equipped with a hanging hook
- Specifically designed to prevent animals from perching on the feeder
- Ideal for pigeons and other birds

Item				
1987AF000	6	46,5 x 23,5 x 115	0,7083	8010213971389



Wall-Mount Feeder Bowl

Material: Food-grade plastic.

Capacity: 45 cl

Features:
- Can be wall-mounted
- Ideal for poultry and small birds



Item				
2136AF000	24	17,5 x 34,5 x 51	0,17	8010214002723

Ø 30 cm Circular Feeder

Material: Food-grade plastic.

Features:
- Easy to clean
- Ideal for chicks and birds



Item				
0536AF000	24	31 x 31 x 27,5	0,20	8010213971709

Anti-Pecking Glasses for Pheasants and Poultry

Excellent tool to prevent cannibalism among birds.





Art. 0245F0000

Item				
0245A0000	500		0,0023	8010213002458
0245F0000	16	13,5 x 22 x 14,5	0,0287	8010213971082

Arrow-shaped glasses for pheasants and fowl

Accessory to attach glasses to the bird.





Art. 0246F0000

Item				
0246A0000	510		0,0002	8010213002465
0246F0000	16	13,5 x 22 x 14,5	0,0158	8010213971099


RIVERA Linear Feeder

Material: Available in galvanized steel or stainless steel.

Sizes: 60 cm and 120 cm.

Features:
- Anti-waste rotating top bar
- Rounded interior for easy cleaning
- Side anti-spill rods
- Corrosion-resistant plastic feet
- Easy to assemble
- Ideal for: chickens and poultry






***Minimum order quantity required**

Item					
F0200026	1	60x 20 x 8	1,85	216	

Item					
F0200027	1	120x 20 x 8	3,15	108	

304 Grade Stainless Steel





***Minimum order quantity required**

Item					
***F0200006**	1	60 x 20 x 8	1,769	216	

Item					
***F0200007**	1	120 x 20 x 8	3,074	108	

PREMIER hopper feeder

Material: 100% galvanized structure.


Features:

- The PREMIER hopper is a feeder designed to be installed in any type of chicken coop, both indoors and outdoors thanks to its reversible hooks and its two rear holes allow it to be fixed to a wall or wooden panel.
- It has a food regulator inside the plate.
- It can be supplied with a visor for protection when installed outdoors.

Capacity: 12 L









*** Pieces on American pallets 100x120 cm**

Item					
F0200078	1	33 x 30 x 17,8	2,85	102(US)*	8436597092449









Item					
F0200079	1	33 x 30 x 17,8	2,60	102(US)*	

Automatic Treadle Hopper Feeder – 20L


Material: Structure in galvanized sheet metal.

Features:

- This is a linear hopper that has 3 weight settings: 550g, 750g and 1300g, which will activate the opening of the lid in order to allow the hen access to the food.
- It prevents rodents, rats, and birds from accessing the feed, eating it, and contaminating it with their droppings.
- It also includes a removable visor to prevent rain from getting the feed wet. This visor fits onto the top of the hopper and the side tabs, making it 100% watertight.

Capacity: 20 L








This hopper is equipped with an adjustable feed flow system, allowing the user to easily control the quantity and type of feed pellets according to the species.

Adjustable Feed Flow

Equipped with a quiet closing system and anti-noise springs, designed to reduce sudden impacts and prevent animals from being startled while feeding. This system helps improve animal welfare and feeding comfort.










Item					
F0200077	1	59 x 33 x 32,7	5,5	24	

Automatic Treadle Hopper Feeder – 20L


Instructions




Pedal adjustment and insertion



Manual adjustment to regulate the weight




Three weight capacity settings



JERRY Automatic hopper Feeder

1. The pedal, suitable for all kinds of birds such as chickens, pheasants and ducks, has the exact size to allow the animals to climb up without making a mess.





2. The top lid can be opened from the front or the back for filling with feed.

   The hopper includes two holes so it can be hung on the wall.

3. The spring has three adjustments in the 18 and 29 L models and 9 in the 64 L model.


   The lowest setting is activated from approximately 650 grams. Considering that a rat can weigh between 80 and 250 grams, there is enough margin to withstand the weight of several rats at the lowest setting.






4. The rivets we use for its manufacture are made of aeronautical steel, placed by an automatic machine that rivets at exactly the same pressure, guaranteeing the highest quality in the joints.

5. All models of JERRY mechanical opening hoppers feature a mechanical feed drop regulation system, which makes them very versatile when introducing any type of grain or feed, perfectly controlling the feed height in the feeder.



JERRY Automatic hopper Feeder

18 L





Item					
F0200067	1	42 x 39 x 31	5,8	40	

Item					
F0200028	1	42 x 39 x 31	5,6	40	

29 L







Item					
F0200068	1	52 x 39 x 30	6,3	32	

Item					
F0200029	1	52 x 39 x 30	6,15	32	

Large capacity outdoor hopper



1. We have two versions, one of 250L and another of 500L.
Both hoppers have a hinged lid and feeder inlets on both sides, including the visor, to prevent water from entering the interior.



2. As an option, we offer the possibility of adding skids, thus facilitating mobility with the tractor.



3. The lid is hinged and allows it to be opened to either side, depending on the needs.

4. It has a window on the side that indicates the hopper level is at 30% of its capacity.



5. It has gates to close off access to the hopper for birds.

Large capacity outdoor hopper

Material: Made of galvanized sheet metal.

Capacity: 250 and 500 L

250 L



Item					
F0200001		100 x 92 x 75	62,5	8 (US)*	

500 L




Item					
F0200002		200 x 92 x 99,2	116,7	6 (US)*	

*** Pieces on American pallets 100x120 cm**

CHICKEN COOPS AND LAYING BOXES








HOBBIT Chicken Coop

Material: Made of HPL 6mm and Z270 galvanized sheet metal.

Features:
- Removable tray for easy cleaning
- Nesting box with external tray including mat
- Possibility of creating a small garden in the arch of the chicken coop

Dimensions: 134 x 82.6 x 133.6 cm









Item	x2				
F0200072	1		51	14	


Item	x2				
F0200074	1		51	14	

SUPER KUB Chicken Coop

Material: Made of HPL and Z270 Galvanized Sheet Metal.

Features:
- Fully opening rear door and two removable nesting boxes for easy cleaning.
- It has legs to elevate the coop and two steps for easy access for the hens.
- It includes a seesaw so the hen can swing.





Item	x2				
F0200073	1	120 x 80 x 15	40	14	

CHICKEN COOP "CABIN"

Material: made from galvanized and laquered Z275 steel.

Features:
- Removable roof on both sides for easy cleaning
- Two nesting boxes at the rear
- 100% waterproof
- 5-year warranty
- Suitable for up to 6 chickens
- Access ramp to the coop
- Comes in a flatpack box
- Easy to clean


Item			kg	Code
F0200130	1	120 x 80 x 100	27	







Dimensions



FENIX LAYING NEST

DESIGNED BY FARMERS, MANUFACTURED BY ENGINEERS.

01.

It can be placed on the floor or hung on the wall. The sides act as legs, which are attached to the tray, forming a single unit.

02.

The tray is made from a single piece, making it one of the most durable nesting boxes on the market.

The tray and base of the bin have perforations to sift through dust and dirt. The base of the bin can also be removed for even easier cleaning.

03.

It has ventilation on all sides and dividers to prevent condensation inside, thus preventing problems for the chickens and rust.

04.

The hinged opening makes collecting the eggs much easier and cleaner, as any dirt on top of the lid doesn't fall into the tank, unlike most systems on the market.

05.

This perch can be folded down, becoming a barrier to prevent chickens from entering to sleep at night.

06.

The hooks of the nesting box, perch and tube are 1.2 - 1.5 mm thick to further ensure the strength and durability of the nesting box.








07.

It features a 35mm diameter perch, perfect for the chickens' feet. The tube is 1.5mm thick, giving it incredible strength.



08.

The nesting box can be placed either inside or outside the coop, giving it incredible value.





09.

The dividers don't reach all the way down, so the egg will never get stuck on the walls.

10.

The Phoenix Nesting Boxes include free Plastic Nest Mat that keeps the nesting box cleaner and improve the well-being of the hens.



11.

It also helps the egg stay cleaner as it rolls into the container.





12.

We have digital packaging to create full-color designs that won't go unnoticed.

FENIX LAYING NEST

Material: 100% galvanized sheet metal.

Features:
Exclusive design that allows the tank to be placed outside or inside the chicken coop, providing incredible versatility without spending more on accessories or additional parts.

Capacity: 2, 3, 4 apartments.

2 Compartments






**Plastic Nest Mat included.*

Item					
F0200008	1	57x35x10	7,0	82	

3 Compartments






Item					
F0200115	1	81,5 x 35,5 x 10,5	9,6	59	

4 Compartments





Item					
F0200116	1	107 x 34 x 10	12,3	43	


Bennu LAYING NEST


Material: 100% galvanized sheet metal.

Features: It has the same technical specifications and dimensions as its sibling, the Fenix, but with an open interior (without partitions), allowing for greater comfort during group setups.

Capacity: 50, 75, 100 cm

50 cm






**Plastic Nest Mat included.*

Item					
F0200016	1	57 x 35 x 10	6,72	82	8436597091145

75 cm






Item					
F0200118	1	81,5 x 35,5 x 10,5	8,95	59	

100 cm





Item					
F0200119	1	107 x 34 x 10	11,17	43	

Legs for Bennu and Fenix laying nests

Material: 100% galvanized sheet metal.

Features: Its design allows the structures to be joined together forming a single piece, which helps to gain space and versatility.


Capacity: 2, 3, 4 one and two floor apartments.


Item					
F0200080	1				
F0200081					











Plastic Nest Mat

With the FÉNIX and BENNU laying nests, we include free mats. The mat keeps the nesting box cleaner and improves the comfort of the hens' feet. Thanks to this mat, the eggs are automatically cleaned as they roll into the container.






Item					
F0200025		25 x 45 x 20			


Plastic Laying nest

Material: Polypropylene + adjustable and removable bottom made of plastic material**.**


Features: Supplied disassembled in a box, equipped with an inspection door (front or rear opening), removable bottom for perfect cleaning, is modular and equipped with fixing supports.


















Item				
2235A0000	1	33,5 x 18,5 x 64,5	2,65	8010213001772

FENIX NEST


Material: 100% galvanized sheet metal.

Features:

- Each compartment is perfectly sized for the hen to incubate her eggs and feel secure.
- It includes a 35 mm diameter perch, ideal for the hen's feet.
- The one-piece tray, with perforations for easy cleaning, makes this nest the most durable on the market.
- Side ventilation prevents condensation.
- It can be hung or placed on the floor.


Capacity: 2, 3, 4 apartments.

2 Compartments




Item					
F0200013	1	57 x 35 x 10	4,7	82	

3 Compartments



Item					
F0200014	1	81,5 x 35,5 x 10,5	6,5	59	


4 Compartments



Item					
F0200015	1	107 x 34 x 10	8,2	43	

MILLS





Security System











Anti-Dust Container – 4V Mill

Material: Food-grade plastic.

Features: Carrying handle.

Capacity: 18 L



Item				
00000224G	1	35,5x35,5x41	2,2	8010213971471

DAVIDE 4V Grain Mill 550W

Material: Food-grade plastic + galvanized steel.

Brushed Motor: 550W - 0,75 Hp - 230V (13000-15000 rpm).

Grinding per hour, e.g. corn: Min 80Kg-max 250Kg

Motor safety: Thermal device with automatic reset.

Blade access security: Triple safety device required.

Cereal flow regulation: Direct and self-regulating flow. Ideal for cereal flours (corn, rye, oats, barley, etc.)

Sieves supplied:

- 2,5 mm Ø
- 4 mm Ø
- 6 mm Ø
- 8 mm Ø

Flour sieves:
1 and 1.5 mm hole.



Item				
1971A0000	1	48 x 41 x 72	11,80	8010213970535

GOLIA 4V Grain Mill 750W

Material: Food-grade plastic + galvanized steel.

Brushed Motor: 750W - 1 Hp- 230V (13000-15000 rpm).

Grinding per hour, e.g. corn: Min 130Kg-max 260Kg

Motor safety: Thermal device with automatic reset.

Blade access security: Triple safety device required.

Cereal flow regulation: Direct and self-regulating flow. Ideal for cereal flours (corn, rye, oats, barley, etc).

Sieves supplied:

- 2,5 mm Ø
- 4 mm Ø
- 6 mm Ø
- 8 mm Ø

Flour sieves:
1 and 1.5 mm hole.



Item				
1970A0000	1	52 x 44 x 72	12,40	8010213970528

BRAVÓ 4V Grain Mill 900W

Material: Food-grade plastic + galvanized steel.

Induction motor: 900W - 1.22 Hp - 230V (2800-3000 rpm).

Grinding per hour, e.g. corn: Min 50Kg-Max 230Kg

Engine safety: Manual reset thermal device.

Blade access security: Triple safety device required.

Cereal flow regulation: Manual regulating gate.
Ideal for cereal flours (corn, rye, oats, barley, etc).

Sieves supplied:

- 4 mm Ø
- 6 mm Ø
- 8 mm Ø



Item	Power				
1972A0000	**230V**	1	52 x 44 x 72	17,00	8010213970542
2058A0000	**120V**	1	52 x 44 x 72	17,00	8010213002410

MAGNUM 4V Grain Mill 750W

Material: Food-grade plastic + galvanized steel.

Brushed Motor: 750W - 1 Hp- 230V (13000-15000 rpm).

Grinding per hour, e.g. corn: Min 90Kg-Max 250Kg

Engine safety: Thermal device with automatic reset.


Blade access security: Triple safety device required.

Grain flow regulation: Manual regulating gate. Ideal for cereal flours (corn, rye, oats, barley, etc.), dry bread and hay.

Sieves supplied:

- 2,5 mm Ø
- 4 mm Ø
- 6 mm Ø
- 8 mm Ø

Flour sieves: 1 and 1.5 mm hole.



Item				
1974A0000	1	52 x 44 x 72	13,20	8010213970566

ERCOLINO Grain Mill 1500W

Material: Painted galvanized steel.

Induction motor: 1500W - 2 Hp (2800-3000 rpm).

Milling per hour, e.g. corn: Min 60Kg - Max 360Kg

Engine safety: Manual reset thermal device.

Blade access security: Patented safety device.

Grain flow regulation: Manual regulating gate. Ideal for chopped grains (corn, rye, oats, barley, etc.) and corn shellers.

Sieves supplied:

2,5 mm Ø

4 mm Ø

6 mm Ø

8 mm Ø



Item	Power				Code
0518A----	**230V**	1	54,5 x 60 x 60	30,80	8010213005183
2225A0000	**120V**	1	54,5 x 60 x 60	30,80	8010213002250

GRILLO Hand Mill

Material: Food-grade plastic and cast-iron grinders.

Features:

- Equipped with a bracket for attaching to a table and an adjustable tube for flour dispensing.
- Ideal for cereal flours (corn, rye, oats, barley, etc.), aromatic and medicinal herbs, groundbait, and animal feed.




Item				Code
2167A0000	1	19 x 19 x 31,5	2,8	8010213978180

DRINKING TROLLEYS AND WATER CONDUCTION SYSTEMS







MEZZALUNA Feeder/Drinker

Material: Galvanized sheet metal.

Features: suitable for all types of cages or mesh panels. Ideal for rabbits, small poultry, and birds.




Item				Code
1716AF000	24	32 x 29 x 18,5	0,1354	8010213971716

Hopper feeder with 1 Compartment and Lid

Material: Food-grade plastic.

Features: Ideal solution for rabbit feeders. Includes hooks for attaching to all types of mesh.




Item				Code
2072AF000	24	53,5 x 34,5 x 85,5	0,571	8010213977855

Hopper feeder with 2 compartments and Lid

Material: Food-grade plastic.

Features:
- Ideal solution for rabbit feed supply.
- Includes hooks for attaching to all types of mesh.
- Features galvanized sheet metal protection, a control label holder, and a dirt-proof lid.



Item				Code
0034AF000	18	56,5 x 47,5 x 66	0,75	8010213971655

AQUAVIVA Drinker

Material: Galvanized iron sheet.

Features:
- Supplied unassembled.
- Ideal solution for rabbit cages.
- Suitable for holding a standard 2L water bottle.

Package: 2 pieces.



Item				
2188F0000	24	39 x 25,5 x 31,5	0,12	8010213979316

AQUAFLOW Drinker

Material: Non-toxic plastic + galvanized iron sheet.

Features:
- Supplied unassembled.
- Ideal solution for rabbit cages.
- Suitable for holding a standard 1.5L water bottle.

Package: 2 pieces.



Item				
0297F0000	24	39 x 25,5 x 31,5	0,24	8010213502972

NIAGARA Drinker with Protective Rim

Material: Food-grade plastic.

Features:
- Practical bottle holder with a removable tray for easy cleaning.
- Suitable for all cage types.



Item				
1945AF000	48	56,5 x 32 x 58	0,2219	8010213971648

TOP Rodent-Resistant Drip Drinker

Material: Non-toxic plastic + stainless steel rodent protection.

Features: Ideal for fixing in cages of rabbits, birds and avians**.**



Item				Code
2000A0000	120	16,5x25,5x4,5	0,0039	8010213972096
2000F0000	16	13,5x22x14,5	0,0145	8010213972102

TOP Rodent-Resistant Drinker with Spring, without T-Coupling

Material: Non-toxic plastic + rodent-resistant stainless steel protection.

Features:
- Spring-loaded without T-coupling for water system connection
- Ideal solution for attaching to the netting of rabbit and bird cages



Item				Code
2003A0000	100	23,5 x 20 x 21	0,015	8010213972157
2003A1000	10	16,5 x 25,5 x 6	0,051	8010213977015
2003F0000	16	13,5 x 22 x 14,5	0,028	8010213972164

TOP Rodent-Resistant Drinker with Spring and T-Coupling Ø 10/7

Material: Non-toxic plastic + rodent-resistant stainless steel protection.

Features:
- With spring and T-coupling.
- Ideal solution for attaching to rabbit and bird cages.



Item				Code
2002A0000	100	23,5 x 20 x 21	0,020	8010213972133
2002A1000	10	16,5 x 25,5 x 6	0,0542	8010213977039
2002F0000	16	13,5 x 22 x 14,5	0,0184	8010213972140

TOP Rodent-Resistant Drinker with Screws and T-Coupling Ø 10/7

Material: Non-toxic plastic + rodent-resistant stainless steel protection.

Features:
- Screw connection and T-shaped coupling.
- Ideal solution for mounting on rabbit and bird cages.



Item				Code
2004A0000	100	23,5 x 20 x 21	0,018	8010213972171
2004A1000	10	16,5 x 25,5 x 6	0,0812	8010213977022
2004F0000	16	13,5 x 22 x 14,5	0,0523	8010213972188

DERBY 50 cl Tank Drinker (90°)



Material: Food-grade plastic.

Features:
- Equipped with a rodent-resistant stainless steel clamp.
- Ideal solution for rabbits, birds, and other small birds; suitable for all types of cages.

Capacity: 50 cl Water inlet angle: 90°

Item				
2014AF000	24	36 x 13 x 42	0,1079	8010213972324

DERBY 100 cl Tank Drinker (90°)



Material: Food-grade plastic.

Features:
- Equipped with a rodent-resistant stainless steel clamp.
- Ideal solution for rabbits, birds, and other small birds; suitable for all types of cages.

Capacity: 100 cl Water inlet angle: 90°

Item				
2019AF000	24	45 x 35,5 x 41	0,1843	8010213972409

DERBY 50 cl Tank Drinker (45°)



Material: Food-grade plastic.

Features:
- Equipped with a rodent-resistant stainless steel clamp.
- Ideal solution for rabbits, birds, and other small birds; suitable for all types of cages.

Capacity: 50 cl Water inlet angle: 45°

Item				
2015AF000	24	36 x 13 x 42	0,1081	8010213972348

DERBY 100 cl Tank Drinker (45°)



Material: Food-grade plastic.

Features:
- Equipped with a rodent-resistant stainless steel clamp.
- Ideal solution for rabbits, birds, and other small birds; suitable for all types of cages.

Capacity: 100 cl Water inlet angle: 45°

Item				
2020AF000	24	45 x 35,5 x 41	0,1843	8010213972423

NIAGARA EVOLUTION
Rodent-Resistant Drinker

Material: Food-grade plastic.

Features:
- Automatic waterer with universal cage attachment.
- Fixed tray.
- Removable float for cleaning (water connection remains), three adjustable water levels, and rodent-resistant metal guard.



Item				
2184AF000	24	21 x 32,5 x 41,5	0,26	8010213979248

Rubber Sealing Plug for Automatic Drinker

Material: Non-toxic plastic.

Accessory for automatic drinking fountain with fixed tray.



Item				
0108AF000	100		0,0005	8010213001086
0108F0000	16	13,5 x 22x 14,5	0,0168	8010213971310

Domestic Filter Ø 10 mm

Material: Non-toxic plastic.

Features:
- It can be easily disassembled for cleaning and hygiene purposes; the outlets are suitable for 10 mm diameter tubes.
- For connection to the water supply network.



Item				
0255A0000	24	19 x 19 x 16	0,05	8010213002557
0255F0000	16	15 x 34,5 x 21	0,0657	8010213502552

12 L Bucket with Lid



Material: Food-grade plastic.

Features:
- Equipped with a carrying handle and lid.
- An ideal solution for harvesting fruits and vegetables, storing grains, and for all activities requiring a versatile and durable container.

Capacity: 12 L

Item				
2012AF000	12	37 x 37 x 83	0,908	8010213972287

18 L Bucket with Lid



Material: Food-grade plastic.

Capacity: 18 L

Features:
- Equipped with a carrying handle and lid.
- An ideal solution for harvesting fruits and vegetables, storing grains, and for all activities requiring a versatile and durable container.

Item				
1977AF000	12	36,5 x 36,5 x 94	1,1875	8010213971525

12L and 18L Tank with Hose Connection



Material: Food-grade plastic.

Capacity: 12 L and 18 L

Features:
- Connection for 10 mm diameter hose.
- Dirt prevention lid.
- Work.
- Ideal solution for cages for rabbits, birds and other birds.

Item				
2013AF000	12	37 x 37 x 83	0,9208	8010213972300
1978AF000	12	36,5 x 36,5 x 94	1,1833	8010213971532

Float Valve for 8L Tank

Material: Non-toxic plastic.

Features:
- 8L tray accessory.
- Direct connection to the water supply.



Item				
1868A0000	1		0,125	8010213979378

8L Plastic Tank with Lid

Material: Non-toxic plastic.

Capacity: 8 L

Features:
- Suitable for connecting to water supply systems.
- Equipped with a lid to prevent dirt from accumulating.



Item				
0135A0000	24	67 x 37 x 44	0,5729	8010213001352

8L plastic tank with Float, 1 outlet Ø 10 mm and Lid

Material: Non-toxic plastic.

Capacity: 8 L

Features:
- Tank suitable for connection to water supply systems.
- Equipped with a float, lid, and one outlet suitable for a 10 mm diameter hose.



Item				
0137A0000	1		0,805	8010213001376

8L plastic tank with Float, 2 outlets Ø 10 mm and Lid

Material: Non-toxic plastic.

Capacity: 8 L

Features:
- Tank suitable for connection to water supply systems.
- Equipped with a float, lid, and two outlets suitable for 10 mm diameter hoses.



Item				
0138A0000	1		0,81	8010213001383

8L plastic tank with Float , 1 angled outlet Ø 22 mm and Lid

Material: Non-toxic plastic.

Capacity: 8 L

Features:
- Tank suitable for connection to water supply systems.
- Equipped with a float, lid, and one outlet suitable for hoses with a 20 mm diameter.



Item				
0139A0000	1		0,825	8010213001390

8L plastic tank with Float, 2 angled outlets Ø 22 mm and Lid

Material: Non-toxic plastic.

Capacity: 8 L

Features:
- Tank suitable for connection to water supply systems.
- Equipped with a float, lid, and two outlets suitable for 20 mm diameter hoses.



Item				
0140A0000	1		0,84	8010213001406

Black hose, 20 mm Ø

Material: Soft PVC. 50m roll.

Features: Used for connecting water to drinking troughs.



Item				Code
0103A0000	50 m		0,204	8010213001031

Black hose, 10 mm Ø

Material: Soft PVC. 100m roll.

Features: Used for connecting water to drinking troughs.

* Kg/m



Item				Code
0101A1000*	10 m		0,07	8010213001017
0101A5000*	50 m	40 x 37x 35	0,07	8010213968785
0101AF010*	12x10 m		0,73	8010213971815

Fixed hook for square tube

Material: Steel.

Features: Hooks for quickly attaching or detaching the square tube with the cage drinkers.



Item				Code
0452A0000	50		0,0026	8010213004520
0452F0000	16	13,5 x 22x 14,5	0,0343	8010213970733

Spring with hook

Material: Steel.

Features:

- Coil hook=26.5.
- Useful spring for assembling and disassembling doors, feeders and various accessories for rabbit and bird cages.



Item				Code
0401A0000	100		0,0143	8010213004018
0401F0000	16	13,5 x 22x 14,5	0,0425	8010213971068

Ø10 mm head

Material: Plastic.

Diameter: 10 mm

Features: It is installed with PVC glue on the ends of the square tube to facilitate the connection of flexible hoses.



Item				Code
0041A0000	100		0,0048	8010213000416
0041F0000	16	13,5 x 22x 14,5	0,0213	8010213970658

Ø 22 mm head

Material: Plastic.

Diameter: 22 mm

Features: It is installed with PVC glue on the ends of the square tube to facilitate the connection of flexible hoses.



Item				Code
0042A0000	100		0,0072	8010213000423
0042F0000	16	13,5 x 22x 14,5	0,026	8010213970665

Rigid square tube

Material: Plastic.

Features: 2m rigid square tube used to create irrigation lines in cages for rabbits and birds.

* 2m pieces ** Kg/m



Item				Code
0160A2000*	**50 mt**		0,266**	8010213001604
0160AR000	on demand		0,266**	8010213968563

Ø10mm Plug



Material: Plastic.
Diameter: 10 mm
Features: Allows for sealing the ends of fittings used in water systems.

Item				
0105A0000	100		0,0019	8010213001055
0105F0000	16	13,5 x 22x 14,5	0,0218	8010213501050

Plug Ø 22 mm



Material: Plastic.
Diameter: 22 mm
Features: Allows for sealing the ends of fittings used in water systems.

Item				
0106A0000	100		0,0032	8010213001062
0106F0000	16	13,5 x 22x 14,5	0,0283	8010213970672

1/8" threaded hexagonal plug



Material: Plastic.
Features: Hexagonal threaded type.

Item				
0107A0000	100		0,0015	8010213001079
0107F0000	16	13,5 x 22x 14,5	0,0193	8010213970689

3/4" Threaded Square Plug



Material: Plastic.
Features: Ideal for sealing 8L tanks. Pack of 2 pieces.

Item				
0000417PF	16	13,5 x 22 x 14,5	0,0194	8010213970696

Angled Hose Fitting Ø 22 mm



Material: Non-toxic plastic.
Diameter: Ø 22mm
Features: Allows connection of a 22mm diameter flexible hose to the tank.

Item				
0123A0000	50		0,022	8010213001239
0123F0000	16	15 x 34x 21	0,0583	8010213971051

Hose Fitting Ø 10 mm with Brass Nut



Material: Non-toxic plastic.
Diameter: Ø 10 mm
Features: Brass nut. It attaches to the water tank to allow connection with a 10 mm diameter flexible hose.

Item				
0097A0000	100		0,0028	8010213000973
0097F0000	16	13,5 x 22x 14,5	0,0176	8010213500978

Hose Adapter Ø 22 mm and Ø 10 mm



Material: Non-toxic plastic.
Diameter: 22 mm - 10 mm
Features: Adapter for connecting flexible hoses with diameters of 20 mm and 10 mm.

Item				
0499A0000	50		0,0099	8010213004995
0499F0000	16	13,5 x 22x 14,5	0,0219	8010213971037

Angled Fitting Ø 10 mm



Material: Non-toxic plastic.
Diameter: 10 mm
Features: Used for connecting hoses to drinking troughs.

Item				
0546A0000	100		0,0021	8010213005466
0546F0000	16	13,5 x 22x 14,5	0,0155	8010213505461

Straight Fitting Ø 10 mm



Material: Non-toxic plastic.
Diameter: 10 mm
Features: Used for connecting hoses to drinking troughs.

Item				
0118A0000	100		0,0019	8010213001185
0118F0000	16	13,5 x 22x 14,5	0,0157	8010213501180

T-Fitting Ø 10 mm



Material: Non-toxic plastic.
Diameter: 10 mm
Features: Used for connection of hoses for the drinking troughs.

Item				
0109A0000	100		0,0027	8010213001093
0109F0000	16	13,5 x 22x 14,5	0,0163	8010213501098

T-Fitting Ø 10/7



Material: Non-toxic plastic.
Diameter: 10/7
Features: Used for connecting hoses to drinking troughs.

Item				
00000402AP	100		0,0021	8010213104022

Cross Fitting Ø 10 mm



Material: Non-toxic plastic.
Diameter: 10 mm
Features: Used for connecting hoses to drinking troughs.

Item				
0516A0000	100		0,00355	8010213005169
0516F0000	16	13,5 x 22x 14,5	0,0183	8010213505164

Long pipette with 1/8" thread



Material: Non-toxic plastic.
Features: Used for connecting hoses to drinking fountains.

Item				Code
0003290P	50	14 x 21 x 3	0,006	8010213971273
0003290PF	16	13,5 x 22x 14,5		8010213971488

6 cm Extension



Material: Non-toxic plastic.
Features:
- Used to bring waterers closer to small animals for them to drink.
- No direct water connection.

Item				Code
0486A0000	50		0,006	8010213004865
0486F0000	16	13,5 x 22x 14,5	0,0302	8010213970757

9 cm extension



Material: Non-toxic plastic.
Features:
- Used to bring water bowls closer to small animals so they can drink.
- No direct water connection.

Item				Code
0487A0000	50		0,0082	8010213004872
0487F0000	16	15 x 34x 21	0,0464	8010213970764

12 cm extension



Material: Non-toxic plastic.
Features:
- Used to bring waterers closer to small animals so they can drink.
- No direct water connection.

Item				Code
0488A0000	50		0,0104	8010213004889
0488F0000	16	15 x 34x 21	0,0522	8010213970771

Hose Fitting Ø 15 mm with 1/2" Thread, Gasket and Nut



Material: Non-toxic plastic.
Diameter: 15 mm
Features: Applies to the water tank for connecting the flexible hose.

Item				Code
2105A0000	50		0,016	8010214001320
2105F0000	16	13,5 x 22x 14,5	0,0425	8010214002549

Hose Fitting Ø 21 mm with 1/2" Thread, Gasket and Nut



Material: Non-toxic plastic.
Diameter: 21 mm
Features: For connecting a flexible hose to a water tank.

Item				Code
2104A0000	50		0,0192	8010214001313
2104F0000	16	13,5 x 22x 14,5	0,0492	8010214002532

Hanger connector - 72cm

Material: Non-toxic plastic.
Length: 72 cm
Features: Ideal solution for joining the perch and creating the bottom of the cages.



Item				Code
0134A0000	100	75,5 x 16 x 11,5	0,067	8010213001345

Plastic rabbit perch

Material: Non-toxic plastic.
Features: For creating cage flooring and preventing paw sores in animals.
Available in 2m/3m/4m lengths.

* kg/m



Item				Code
0457A2000*	100 m		0,128	8010213004575
0457AR000	on demand		0,128	8010213968600

Blister packs of rabbit accessories



Art. 0041F0000



Art. 0042F0000



Art. 0105F0000



Art. 0106F0000



Art. 0108F0000



Art. 0000417PF



Art. 0118F0000



Art. 0109F0000



Art. 0546F0000



Art. 0516F0000



Art. 0003290PF



Art. 0499F0000



Art. 0401F0000



Art. 0452F0000



Item No. 0486F0000



Art. 0123F0000



Art. 0487F0000



Art. 0488F0000



Art. 2000F0000



Art. 2002F0000



Art. 2003F0000



Art. 2004F0000



Art. 0255F0000



Art. 0515F0000



Art. 2104A0000



Art. 2105A0000

TRAPS AND EXTERMINATORS




LCOME
A PER TOPI A CUPOLA
SI- SENZA VELENO
ON FREE!
TO USE
RAPIDA
SEMPLICE
ECOLOGICA
IGIENICA
PIÈGE À SOURIS JETABLE - TRAMPA PARA RATONES DESECHABLE - EINWEG-MAUSEFALLE

UFOTRAP Multipurpose Trap

A versatile and eco-friendly chromotropic trap for protecting orchards, olive groves, apiaries, vegetable gardens and flower gardens. Ideal for trapping flies, wasps, hornets, fruit flies, mosquitoes and other insects.

Effective, easy to assemble and suitable for use with any plastic bottle. It can be used with food-based baits such as beer, water + sugar, vinegar/ammonia, wine, sardines, ripe fruit, etc.

Place it on tree branches or directly on the ground at a height of approximately 150 cm.

Easy to clean and reusable.

Use: Outdoors.






Item				
2221A0000	22	41,5 x 50 x 21	0,12	8010213000331

UFOFLY Multipurpose Trap

A universal and eco-friendly chromotropic trap for protecting orchards, olive groves, apiaries, vegetable gardens and flower gardens. Ideal for trapping flies, wasps, hornets, fruit flies, mosquitoes and other insects.
Effective, easy to assemble and suitable for use with any glass or plastic jar or bottle. It can be used with food-based baits such as beer, water + vinegar/ammonia, wine, sardines, ripe fruit, etc.
Hang it directly on trees or plants at a height of approximately 150 cm.
Easy to clean, reusable and economical.

Use: Outdoors.





Item				
2222A0000	22	41,5 x 50 x 21	0,09	8010213000335

UFOTRAP & UFOFLY USER INSTRUCTIONS

Use: Outdoors

Period of use: Early spring to late autumn.

Positioning: Place 1 trap for each fruit tree (modest foliage cover), at a height of about 150 cm from the ground.

Exposure: South-facing, if possible.

Baits: Use food-grade baits (see recipe book* with the baits) (Recommended according to the insect to be treated). Fill approximately 2/3 of the container.

Monitoring: Check every 15 days; replenish or recharge the contents as needed.

ATTENTION:

It is recommended to mix the food baits in proportions of 2/3 the container's capacity and change them in case of particularly harsh weather conditions (e.g., heavy rain, high temperatures, etc.). The ingredients should be dissolved in 500 ml of liquid, and the quantities are merely indicative, as they are subject to specific conditions. The specified doses are expressed in milliliters for liquids and in grams for solid food.

* Recipe book

Water	Sugar	Raw fish/ spoiled raw meat	Ripe fruit	Beer	Vinegar	Ammonia	Dry yeast	Flours / Cookies
500	30-50		30-60					
205				250				
300	30-50				200			
350		30-50			150			
250			60-120			250		
350			30-60					
250	30-50				250			
150				350				
500							30	
500								120-200
250	35-60			250				
500	70-120						20	

TRAPPER, insect trap

Material: Non-toxic plastic.
Features: By introducing liquid bait into the trap, insects such as wasps, flies, and ants become trapped and cannot escape.
Usage: Hanging or on the floor.
Where: Orchards, chicken coops, stables/barns.



**** Bulk product, unassembled***

Item				Code
0069A0000	24	57 x 38,5 x 63	0,366	8010213000690
1778A0000*	96	57 x 38,5 x 63	0,177	8010213017780

Mole trap

Material: Non-toxic plastic.
Features:
- Equipped with an inspection door.
- Equipped with clamps at both ends.
- Environmentally friendly.
- No poison is used.

Use: Underground.
Dimensions: 24 x 7 x 15 max



Item				Code
2054AF000	6	28,5 x 20 x 33	0,291	8010213976896

Mouse trap with 2 entrances

Material: Non-toxic plastic.
Features:
- Equipped with an inspection door.
- Equipped with 2 entry openings.
- Ecological.
- Reusable.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution for indoor and outdoor use.
Measurements: 27 x 8 cm



Item				Code
2048AF000	12	21,5 x 30,5 x 25	0,2325	8010213976827

Disposable mouse trap

Material: Non-toxic plastic.
Features:
- Equipped with 1 clamp inlet.
- Ecological.
- Reusable.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution for indoor and outdoor use.
Dimensions: 13 x 6.8 x 10.5 cm



Item				Code
2046AF000	48	29 x 20,5 x 42	0,0512	8010213976803

Dome-shaped mouse trap with 2 entrances

Material: Non-toxic plastic.
Features:
- Equipped with 2 jaw inlets.
- Ecological.
- Reusable.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution for indoors and exteriors.
Measurements: 16.5 x 8.5 cm



Item				Code
2095AF000	12	17,5 x 34,5 x 51	0,1626	8010214001078

Small Cylindrical Rat Trap



Material: Technopolymer.

Features:
- Equipped with 1 clamp inlet.
- Equipped with a security key.
- It can be attached to beams, nets and walls.
- Environmentally friendly.
- Hygienic/reusable.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution for indoor and outdoor use.

Dimensions: 30.5 x 15 x 18 cm

Item				Code
2052AF000	5	29 x 45 x 31	0,5196	8010213976858

Large Cylindrical Rat Trap



Material: Technopolymer.

Features:
- Equipped with 1 clamp inlet.
- Equipped with a security key.
- It can be attached to beams, nets and walls.
- Environmentally friendly.
- Hygienic/reusable.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution for indoors and exteriors.

Dimensions: 41 x 15 x 18 cm

Item				Code
2053AF000	4	29 x 45 x 31	0,6153	8010213976889

ORGANIC POULTRY FARMING





Mobile Poultry House

Features:

- The mobile poultry house is designed for organic and free-range poultry producers.
- The internal structure is reinforced with welded braces and hot-dip galvanized for enhanced strength and durability.
- The structure is delivered partially disassembled and assembled with screws for quick, easy installation.
- Our relocation kit is universal for all models, helping farmers reduce costs by eliminating the need for different kits for each unit.
- The structure complies with the technical and legal requirements established under European Conformity (CE) standards applicable to mobile structures, provided the ground slope does not exceed 2–3 degrees.

Material: It consists of a 100% hot-dip galvanized steel structure covered with 35 mm thick sandwich panels.

Length: 6x6 m, 12x6 m and 18x6 m.

Maximum armed movement speed: 4 Km/h.

It complies with ISO 9001 quality certification.




Mobile corral movement



Structure assembly




Access between levels.





Side exits and access points for birds.

Mobile Poultry House.
One and Two levels

6 x 6 m (one level)

Item		Code
F0200087	2000	8436597092531




6 x 6 m (two levels)

Item		Code
F0200110		



12 x 6 m (one level)

Item		Code
F0200088	3195	8436597092548



12m x 6 m (two levels)


Item		Code
F0200111		



18 x 6 m (one level)

Item		Code
F0200089	4552	8436597092555

**Without sandwich panel*



18 x 6 m (two levels)

Item		Code
F0200112		



ACCESSORIES FOR THE Mobile Poultry House

Reference	F0200106	F0200087	F0200088	F0200089
Type	Fixed ship	Mobile	Mobile	Mobile
Model (m)	8,3 X 18	6X6	6X12	6X18
Area (m2)	149,4	36	72	108
Laying hens (BIO)	896,4	216	432	648
Bennu laying box F0200018	36	9	18	26
Benny Laying box F0200101	18	5	9	13
Hangers (m)	162	39	78	117
Feeder 1940AF000	12	3	6	9
Drinkers 2107AF000	19	5	9	14



Hangers



Bennu Laying Box F0200018



Bennu Laying Box F0200101



Feeder 1940AF000




Drinker 2107AF000


ACCESSORIES FOR THE Two-level poultry house

Reference	F0200110	F0200111	F0200112
Model (m)	6X6	6X12	6X18
Area (m2)	72	144	216
Laying hens (BIO)	432	864	1296
Bennu laying box F0200018	18	34	52
Bennu laying box F0200101	9	17	26
Hangers (m)	78	156	234
Feeder 1940AF000	6	12	17
Drinker 2107AF000	5	9	14

Sanitary SAS 1








Sanitary SAS 2









Thermal Insulating Coating

Aqueous dispersion coating with hollow, spherical and non-porous glass particles of exceptional strength and clarity.

Once the solution dries, it creates a waterproof membrane, highly reflective to the sun and with a high SRI (Solar Reflectance Index).


SCOPE


- Roofs and terraces made of mortar, sheet metal, tiles, fiber cement, etc.
- Homes, commercial buildings, warehouses, livestock sheds for sheep, pigs or cattle, caravans, construction site sheds for electrical and electronic equipment, electrical cabinets and any other place where you want to quickly and economically reduce the interior temperature by eliminating heating from the roof or ceiling.



BENEFITS:

1. Reduces the temperature of roofs and coverings by between 15 and 22 ºC.
2. Reduces energy expenditure.
3. Easy to apply by brush or roller, although it can also be applied with a spray gun.
4. It has waterproofing properties on the surface where it is applied.
5. It reduces the thermal stress on materials, extending their useful life.
6. Reducing the temperature inside the building increases comfort and therefore improves productivity in both the agricultural and industrial sectors.
7. Avoid internal overheating in electrical and electronic equipment inside cabinets and homes.
8. It does not emit odors or chemicals that could harm health when applied.










ANIMAL WELFARE

Committed to animal welfare, we know that maintaining a suitable temperature in their living spaces is essential for their health and well-being. This coating helps maintain a comfortable temperature and reduce heat stress in your animals.



SPECIFICATIONS

Nature	Water-based dispersion
Thinner and cleaning solvent	Water
Application method	Brush, roller, airless spray
Application temperature	From +10 to +35 °C
Surface drying time (EN ISO 1517)	1 hour
Recommended coverage	One liter per 1.5–1.7 square meters
Water vapor permeability (EN ISO 7783-1/-2) (Equivalent air layer thickness)	Sd < 5 meters, Class I (EN 1504-2) Water vapor permeable
Water permeability (EN 1062-3)	< 0.1 $kg/m^2 \cdot h^{0.5}$, Waterproof (EN 1504-2)
Adhesion to concrete substrate (EN 1542)	>0.8 MPa
Hazardous substances (EN 1504-2)	Complies with Section 5.3 of EN 1504-2
Thermal conductivity of hollow microspheres	0.07 W/m·K
Color	White
SRI Index (ASTM E 1980-01), low convection coefficient (0–2 m/s)	107.6
SRI Index (ASTM E 1980-01), medium convection coefficient (2–6 m/s)	108
SRI Index (ASTM E 1980-01), high convection coefficient (6–10 m/s)	108

SURFACE PREPARATION:

The surface must be clean, dry, and free of contaminants such as dust, adhered particles, grease, or oil. On cementitious substrates, surface laitance must be removed by mechanical sanding with wire brushes, rotary brushes, etc.
Use anti-corrosion primers on bare steel surfaces to increase adhesion and anti-corrosion properties after thoroughly brushing away any remaining rust. The product adheres well to painted and galvanized steel surfaces without the need for a primer.

If the surface has algae, fungi, or mold, it should first be cleaned with a chlorinated alkaline cleaner suitable for all types of surfaces before rinsing and allowing it to air dry. For the coating to adhere well to cementitious substrates, the surface must be sufficiently rough and porous.

INSTRUCTIONS FOR USE:

For cementitious surfaces, apply a primer coat or apply a first coat diluted with 10-15% water to allow the coating to penetrate the substrate.

Any other type of substrate, such as primed sheet metal, etc., requires a clean application of the product with at least two or three coats.

It is recommended to use 0.35 to 0.70 l/m^2 to achieve a reflective effect. For excellent waterproofing and to aid in surface insulation, it is recommended to apply one liter per 1.5 to 1.7 square meters.



PRESENTATION AND STORAGE:

Available in 5, 10, and 20-liter plastic containers. The product should be stored in a cool, dry place, away from frost and extreme heat. It can be stored for at least one year in its original, tightly sealed containers at a temperature between 5 and 25°C. This product is manufactured in accordance with ISO 9001:2015 and ISO 14001:2015 standards.



SPECIAL RECOMMENDATIONS:

- Avoid application when relative humidity is above 80% and the temperature is below 10°C.
- If rain is expected before the product has dried, avoid applying it outdoors (at least 6 to 8 hours).


Esterina 36-fingered plucking machine

Materials: Stainless steel.

Features:

- 36 fingers made of thermoplastic rubber.
- 9 pairs of discs.
- Feather cover.
- Adjustable stainless steel safety grid depending on the animal to be plucked.
- Adjustable rollover control bar.
- Feather collection cart (optional), equipped with swivel wheels.
- Anti-vibration legs.
- Single-phase asynchronous motor 230 V - 900 W - 50Hz.
- Motor equipped with thermal switch with manual reset system.
- Safety button. Approximate hourly production: 80/120 chickens.

Ideal solution for medium or large-sized poultry (e.g., chickens, ducks, turkeys...).



Item				
2196A0000	1	50 x 56 x 33	25,2	8010213979545

Esterina 24-finger poultry plucker with adjustable stainless steel grid

Materials: Made with ABS.

Features:

- 24 Fingers made of thermoplastic rubber.
- 6 pairs of discs.
- Adjustable stainless-steel safety grid, depending on the animal to be plucked.
- Equipped with a hook to hold the down bag (not supplied in the standard equipment).
- Anti-vibration legs.
- Safety push button.
- Single-phase asynchronous motor 230 V - 50 Hz - 300W.
- 6 poles, 900 rpm.

Approximate hourly production: 60/80 chickens.

Ideal solution for poultry, guinea fowl and pheasants.



Item				
2205A0000	1	39 x 65,5 x 50	22	8010213000058

Esterina 24-finger quail plucker with adjustable stainless steel grid

Materials: Made with ABS.

Features:

- 24 Fingers made of thermoplastic rubber.
- 6 pairs of discs.
- Adjustable stainless steel safety grid depending on the animal to be plucked.
- Equipped with a hook to hold a down bag (not included in the standard equipment).
- Anti-vibration legs.
- Safety push button.
- Single-phase asynchronous motor 230 V - 50 Hz - 300W.
- 6 poles, 900 rpm.

Ideal solution for partridges and quails.



Item				Code
2209A0000	1	39 x 65,5 x 50	21,6	8010213000164

Technopolymer Disc for Poultry

It consists of two pieces.
Snap-on assembly without the use of any tools.

Ø 12cm x 1,8cm




Item				Code
4732P	1	ø 12 x 1,8	0,92	8010213000683

Technopolymer Disc for Quail

It consists of two pieces.
Snap-on assembly without the use of any tools.

Ø 12cm x 1,8cm



Item				Code
4733P	1	ø 12 x 1,8	0,92	8010213000768

Thermoplastic Plucking Fingers

Material: Food-grade rubber.

Features: Good wear resistance and excellent sealing during plucking operations.





Item				Code
4727P	1	2,8 x 2,8 x 2,8	0,026	8010213979460
4728P	1	2,4 x 2,4 x 8,8	0,0180	8010213979477

SPARE PARTS



SPARE PARTS FOR INCUBATORS

			1962A4	2118A
00000278G	ELECTRICAL GENERATOR FOR COVATUTTO 162 ORANGE			
00000273G	ELECTRICAL GENERATOR FOR COVATUTTO 108 ORANGE			
0206G5000	ELECTRIC GROUP 54 DIGITAL			
0053G5000	Electrical group for Covatutto 24 Digital			
00000295G	16L DIGITAL ELECTRIC GENERATOR			
00000258G	ELECTRICAL SET FOR 108/162 ANALOG YELLOW			
0206G4000	ELECTRIC GROUP 54			
0053G4000	24/24ECO ELECTRIC GROUP			
00000294G	16L ANALOG ELECTRIC GENERATOR			●
0214G4000	ELECTRIC GROUP 16			
0215G4000	ELECTRIC GROUP 7		●	
00000277G	CARD FOR COVATUTTO 162 DIGITAL			
00000274G	DIGITAL CARD FOR COVATUTTO 108			
00000276G	CARD FOR COVATUTTO 54 DIGITAL			
00000275G	CARD FOR COVATUTTO 24 DIGITAL			
00000297G	DIGITAL COVA CIRCUIT 16L + PROBE			
00000209G	CARD + BLACK PROBE + BOX FOR 40/120/108/162			
00000226G	CARD + BLACK PROBE + BOX FOR 24ECO/24/54			
00000229G	CARD + YELLOW PROBE + SC (12E/16) 4F4.8-230V: 2			●
00000227G	CARD + YELLOW PROBE + BOX FOR COVATUTTO 7		●	
00004701P	Cova 16L Digital Circuit Probe			
00004702P	SMD AND DIGITAL PROBE 7-16-16L -24-54-108-162		●	●
00000930P	TEMPERATURE PROBE (15K-5%)		●	●
00000057G	COVATUTTO 120/108/162 MOTOR + FAN			

SPARE PARTS FOR INCUBATORS

 2229A	 2119A	 504A4 1801A4	 1958A4 1959A4	 1958A5 1959A5	 1960A4 1961A4	 1960A5 1961A5	 2068A 2069A	 2068AD 2069AD	 2066AT 2067ADT	 2066ADT 1794A4	 2067AT	 1796A4
										●		
								●				
						●						
				●								
●	●											
							●		●			
					●							
		●	●									
										●		
								●				
						●						
				●								
●	●											
							●		●			
		●	●		●							
●	●											
●	●	●	●	●	●	●	●	●	●	●		
●	●	●	●		●		●		●			
							●	●	●	●		

SPARE PARTS FOR INCUBATORS

			1962A4	2118A
00003975P	Fan motor (80x80x25 230V 4.6W)			
00000219G	Motor + 2 fans for Covatutto 24ECO/24/54			
00002716P	GEARMOTOR FOR EGG TURNER (230V)			
00004294P	6W - 2g GEARMOTOR EGG TURNER FOR COVATUTTO 16L 230V			
00000259G	LOWER SUPPORT + HEATING ELEMENT (140W) + FAN FOR 162			
0012G4000	LOWER SUPPORT + HEATING ELEMENT (90W) 120/108			
00003204P	RESISTOR HOLDER FOR 24 / 24ECO / 54 (40-120-4V) 108/162			
00003227P	90W 4100-54 DIGITAL RESISTOR - LOWER 108			
00003446P	140W 4100 RESISTOR FOR 24ECO / 24/54/162			
00003205P	RESISTANCE 60W 3450 FOR 120-4V / 108/162 - 24dgt			
00000054P	MIGNON TRANSPARENT LAMP 15W E14 FOR 40/120/108/162			
00004130P	25W LAMP - MIGNON TRANSPARENT E14 x COVATUTTO 16L + 16LDGT			●
00003320P	60W OPAL E14 BULB FOR 12ECO/16 (13)			
00003300P	40W OPAL E14 BULB FOR 7/12ECO		●	
2206A0000	DIGITAL THERMOMETER		●	●
2207A0000	DIGITAL THERMOMETER HYGROMETER		●	●
00000207G	THERMOMETER + CASE FOR 16/24ECO/24/54/40/120/108/162			●
00000212G	COVATUTTO 7 THERMOMETER + CASE		●	
00003961P	COVATUTTO 108/162 EGG HOLDER FRAME			
00000061P	EGG HOLDER BASE FOR 40/54/120/108/162			
00000062P	EGG SEPARATOR			
00000833P	SLIDING BOTTOM FOR 20/24 / 24ECO			
00000066P	ROTOR EGG TIE 40/120/108/162			
00000067P	KNOB FOR EGG TURNING ROD FOR 40/108/120/162			

SPARE PARTS FOR INCUBATORS

 2229A	 2119A	 504A4 1801A4	 1958A4 1959A4	 1958A5 1959A5	 1960A4 1961A4	 1960A5 1961A5	 2068A 2069A	 2068AD 2069AD	 2066AT 1794A4	 2066ADT 1796A4	 2067AT	 2067ADT
									●	●		
		●	●	●	●	●						
											●	●
●	●											
									●	●		
							●	●				
		●	●	●	●	●	●	●	●	●		
						●	●	●				
		●	●		●				●	●		
				●			●	●	●	●		
							●	●	●	●		
●	●											
		●	●		●		●		●			
		●	●	●	●	●	●	●	●	●		
		●	●		●		●		●			
							●	●	●	●		
					●	●	●	●	●	●		
		●	●	●	●	●	●	●	●	●		
		●	●	●								
							●	●	●	●		
							●	●	●	●		

SPARE PARTS FOR INCUBATORS

			1962A4	2118A
00003222P	Egg-turning strap for 24/24 ECO/54			
00000298G	Automatic Egg Turner Kit for Covatutto 16L			
00000291G	MANUAL EGG TURNING KIT FOR COVATUTTO 16L			●
00000337G	MANUAL EGG TURNING KIT FOR COVATUTTO 16L			
00000064P	HUMIDITY TRAY			
00000289G	DEPOSIT			
00000290G	COVATUTTO 24/54 HUMIDITY TANK			

ALADINO SPARE PARTS - REFLECT CIP

00003663P	LOWER SUPPORT (WHITE) FOR REFLECTOR (150 / 250W)	
00003605P	LOWER SUPPORT (YELLOW) FOR REFLECTOR (75 / 100W)	
00003638P	CERAMIC LAMP HOLDER WITH THREAD (E27 ANTI-OXIDANT)	

SPARE PARTS FOR INCUBATORS

 2229A	 2119A	 504A4 1801A4	 1958A4 1959A4	 1958A5 1959A5	 1960A4 1961A4	 1960A5 1961A5	 2068A 2069A	 2068AD 2069AD	 2066AT 1794A4	 2066ADT 1796A4	 2067AT	 2067ADT
		●	●	●	●	●						
	●											
●												
							●	●	●	●		
		●										
			●	●	●	●						

ALADINO SPARE PARTS - REFLECT CIP

 1981A	 1982A 1989A	 2163A 2164A	 1990A 1999A	 1980A
	●	●	●	
●				●
●	●	●	●	●

SPARE PARTS FOR PLUNGERS

00000037G	FLYWHEEL (D 40) + SCREW (6X42 MM)	
00000039P	Bipolar switch (16 A)	
00004732P	1/2 CHICKEN FINGER DISC (SOLD IN PAIRS)	
00004733P	1/2 QUAIL FINGER DISC (SOLD IN PAIRS)	
00004727P	CHICKEN FINGERS	
00004728P	QUAIL FINGERS	
00004817P	Single-phase motor, 300W, 6 poles, 230V	
00003495P	Single-phase motor 900W 230V	
00004753P	BELT	
00003651P	T11-T12 MOTOR PROTECTOR	
00004754P	EMERGENCY SWITCH	
00004755P	BUSHING WITH BEARING Ø 20MM	
00004820P	STAINLESS STEEL GRID FOR 24" PLUCK MACHINE	
00004746P	STAINLESS STEEL GRID FOR 36" PLUMBER	

SPARE PARTS FOR PLUNGERS

 0011A	 1853A	 2196A	 2211A	 2205A	 2209A
●	●				
●	●				
		●	●	●	
					●
●		●	●	●	
	●				●
				●	●
		●	●		
		●	●		
		●	●		
		●	●	●	●
		●	●		
				●	●
		●	●		

SPARE PARTS FOR MILLS AND THRESHERS

00000712P	SINGLE SHAFT MOTOR Ø 24mm (1500W / n3000) DOUBLE SHAFT MOTOR Ø 16mm HOLE (1500W / n3000)	
00000782P	DUAL SHAFT MOTOR (1500W / n3000)	
00003495P	12 mm diameter 900W / 230V motor for Bravo. 9 mm diameter 900W / 230V motor for Bravo.	
00000060G	H55 MOTOR (WITHOUT HALF BOX + THERMAL - HP 1 - 230V)	
00000083G	H40 MOTOR (WITHOUT HALF BOX + THERMAL 0.75 HP-230V)	
00000071G	MOTOR FOR RAMBO SHELLER (flange + terminal block 0.25Hp 230V)	
00000072G	RAMBO GEARBOX MOTOR (box + safety)	
00000033G	SAFETY FOR MILL (UNIBLOC-ERCOLINO-RAMBO)	
00000221G	INTERNAL SAFETY WITH FILTER FOR 4V MILLS	
00000238G	INTERNAL SECURITY WITHOUT FILTER FOR BRAVÓ 4V	
00000950P	MOTOR SAFETY PUSHBUTTON (T11-211-8A I/G)	
00003651P	MOTOR SAFETY PUSHBUTTON (T11-211-5A I/G)	
00000022G	Blade bushing Ø 24mm + 20 hammers for Ercolino; Blade bushing Ø 16mm + 20 hammers for Ercolino	
00000272G	Blade bushing Ø 9mm + 12 hammers + Bravo spacer; Blade bushing Ø 12mm + 12 hammers + Bravo spacer	
00000054G	BLADE BUSHING + 12 HAMMERS FOR UNIBLOC	
00000204G	GOLIA BLOCK BLADE	
00000205G	DAVID'S BLOCK BLADE	
00000127P	HAMMER FOR ERCOLINO (3x25x82.5 mm L)	
00000860P	HAMMER FOR UNIBLOC / BRAVO (mm3x25x49.5 L)	
00003185P	BLADE (G shape - 30x2x120.5 L)	
00000129P	DISC BRUSH + BLADE FOR ERCOLINO (d205)	
00000241G	BLADE DISC FOR MAGNUM 4V	

SPARE PARTS FOR MILLS AND THRESHERS

 1971A	 1970A	 1972A	 1974A	 2168F	 2172F	 2167A		 0518A	 0496A
								●	
									●
		●							
	●		●						
●									
								●	●
●	●		●						
		●							
								●	●
		●							
								●	
		●							
									●
	●								
●									
								●	
		●							●
			●						
								●	
			●						

SPARE PARTS FOR MILLS AND THRESHERS

00002754P	FIXED DISC + GRILL HAND MILL	
00004523P	DISC FOR GRILL HAND MILL	
00004541P	PREMIUM ALUMINUM THREADED DISC FOR MILL	
00000790P	Toothed disc for unibloc/Rambo housing	
00000125P	Toothed disc for Grisu '/ Rhythm chippers (plastic)	
00000791P	DOCK FOR RAMBO / SHELLER UNIBLOC (d 20.5 X L42)	
00000105P	SPRING FOR MANUAL TIRE CHANGER (d 17-d 2-L70 SP = 10 SX)	
00000783P	BELT FOR UNIBLOC (Z36-LP = 940)	
00001309P	TIMING BELT (160XLx0.57)	
00000857P	SIEVE (hole 8 - half round)	
00000856P	SIEVE (hole 6 - half round)	
00000855P	SIEVE (hole 4 - half round)	
00000854P	SIEVE (2.5 mm hole - half round)	
00003466P	SIEVE (hole 2.5 - disjoint)	
00003467P	SIEVE (hole 4 - disjoint)	
00003468P	SIEVE (hole 6 - disjoint)	
00003469P	SIEVE (hole 8 - disjoint)	
00003670P	SIEVE (hole 10 - disjoint)	
00003509P	SIEVE (1.5 mm hole - disjoint)	
00003504P	SIEVE (hole 1 - disjoint)	
00000247G	GREEN DOOR (grinding chamber) FOR BRAVÓ 4V	
00000242G	ORANGE DOOR (grinding chamber) FOR MAGNUM 4V	
00000239G	YELLOW DOOR (grinding chamber) FOR GOLIA 4V	
00000240G	ORANGE DOOR (grinding chamber) FOR DAVIDE 4V	

SPARE PARTS FOR MILLS AND THRESHERS

 1971A	 1970A	 1972A	 1974A	 2168F	 2172F	 2167A	 0990A	 0518A	 0496A
						●			
						●			
					●				
							●		●
				●					
							●		●
				●	●				
									●
							●		
								●	
								●	
								●	
								●	
●	●		●						
●	●	●	●						
●	●	●	●						
●	●	●	●						
●	●	●	●						
●	●		●						
●	●		●						
		●							
			●						
	●								
●									

SPARE PARTS FOR MILLS AND THRESHERS

00000223G	FLYWHEEL (d40) + SCREW (mm8x120)	
00000222G	FLYWHEEL (d40) + SCREW (mm8x90)	
00000037G	FLYWHEEL (d40) + SCREW (mm6x42)	
00000225G	FLYWHEEL (d40) + SCREW (mm6x20)	
00000038G	FLYWHEEL (d40) + SCREW (mm8x16)	
00003452P	MOUTH (grinding chamber) FOR 4V MILLS	
00001596P	FABRIC CONNECTION	
00000721P	PIE ANTIVIBRATORIO (d25)	
00003590P	DROP CAP DIAM. 32 mm	
00000205P	INTERNAL HOLE COVER DIAM. 25 mm	

HOME SUPPLIES

00002239P	MOTOR + RESISTANCE GHIBLI (500 / 1000W)	
00002243P	GHIBLI DRAWER	
00000078G	FLYWHEEL FOR MIXER (d38xmm8)	
00001780P	CHROME COVER (d14) FOR IMPELLER	
00001893P	CHROME-PLATED SPRING FOR IMPELLER	
00002007P	IMPULSE FOR STORAGE FARM (d 240/260)	
00001901P	IMPULSOR PAIOLO ø 30 cm	

SPARE PARTS FOR MILLS AND THRESHERS

 1971A	 1970A	 1972A	 1974A	 2168F	 2172F	 2167A	 0990A	 0518A	 0496A
●	●	●	●						
●	●	●	●						
								●	●
		●	●						
							●	●	●
●	●	●	●						
							●		
								●	
●	●	●	●						
							●	●	●


HOME SUPPLIES

 1146A		
●		
●		
	●	●
	●	●
	●	●
	●	
		●

TRAPS AND EXTERMINATORS

00000621P	VOLTAGE NETWORK INSULATOR	
00000657P	NETWORK INSULATOR AGAINST VOLTAGE	
00002494P	MOTOR BOXER (18W / n1000)	
00002495P	Boxer Fan (d180 PL)	
00000625P	Mosquito Net Transformer (Ic 230V-Iu 5000V)	
00000080G	TRANSFORMER + DUPLICATED (6/8/11W)	
00000632P	DOUBLE SINGLE-POLE SWITCH (3/6 / 16A)	
00002212P	SAFETY PUSHBUTTON FOR MOSQUITO NETS (1A-250V)	
00000623P	ACTINIC LAMP (20W white)	
00000624P	WOODEN LAMP (20W blue)	
00000659P	Actinic Lamp (40W white)	
00001062P	Actinic Lamp (15W white)	
00001151P	WOODEN LAMP (15W blue)	
00002127P	Actinic Lamp (12/14W white)	
00001701P	Actinic Lamp (11W white)	
00004370P	15W ANTI-SHOCK LAMP	

TRAPS AND EXTERMINATORS

 1121A	 1734A	 0982A	 3165PF	MODELS OUTSIDE OF PRODUCTION
		●		
				●
	●			
	●			
		●		
●				
		●		
		●		
				●
				●
				●
	●	●	●	
		●		
				●
●				
			●	



Tel. +34 606 71 60 42

info@growing-farms.com

DISCLAIMER Due to updates and/or technical innovations, some of the instructions, specifications, and images included in this document may differ. The elements described here are for illustrative purposes only and may not be applicable to your specific case. No legal rights or claims can be derived from the description provided in this manual.

© 2026

